

Kim, J.-H. and R.R. Schneider, 2004. GHOST global database for alkenone-derived 6 ka sea-surface temperatures.

Reference

- Arz, H.W., F. Lamy, J. Pätzold, P.J. Müller, and M. Prins, 2003. Mediterranean Moisture Source for an Early-Holocene Humid Period in the Northern Red Sea. *Science* 300, 118-121.
- Bard, E., R.G. Fairbanks, M. Arnold, P. Maurice, J. Duprat, J. Moyes, and J.-C. Duplessy, 1989. Sea level estimates during the last deglaciation based on $\delta^{18}\text{O}$ and accelerator mass spectrometry ^{14}C ages measured on *Globigerina bulloides*. *Quat. Res.* 31, 381-391.
- Bard, E., F. Rostek, and C. Sonzogni, 1997. Inter-hemispheric synchrony of the last deglaciation inferred from alkenone palaeothermometry. *Nature* 385, 707-710.
- Bard, E., F. Rostek, J.-L. Turon, and S. Gendreau, 2000. Hydrological impact of Heinrich Events in the subtropical northeast Atlantic. *Science* 289, 1321-1324.
- Barron, J.A., L. Heusser, T. Herbert, and M. Lyle, 2003. High resolution climatic evolution of coastal Northern California during the past 16,000 Years. *Paleoceanography* 18, 1020, March 2003, doi:10.1029/2002PA000768.
- Brassell, S.C., G. Eglinton, I.T. Marlowe, U. Pflaumann, and M. Sarnthein, 1986. Molecular stratigraphy: a new tool for climatic assessment. *Nature* 320, 129-133.
- Cacho, I., J.O. Grimalt, C. Pelejero, M. Canals, F.J. Sierro, J.A. Flores, and N.J. Shackleton, 1999. Dansgaard-Oeschger and Heinrich event imprints in Alboran Sea paleotemperatures. *Paleoceanography* 14, 698-705.
- Cacho, I., J.O. Grimalt, M. Canals, L. Saffi, N.J. Shackleton, J. Shonfeld, and R. Zahn, 2001. Variability of the Western Mediterranean sea surface temperatures during the last 25 000 years and its connection with the northern hemisphere climatic changes. *Paleoceanography* 16, 40-52.
- Calvo, E., J. Grimalt, and E. Jansen, 2002. High resolution UK37 sea surface temperature reconstruction in the Norwegian Sea during the Holocene. *Quat. Sci. Rev.* 21, 1385-1394.
- Capotondi, L., A.M. Borsetti, and C. Morigi, 1999. Foraminiferal ecozones: a high resolution proxy for the late Quaternary biochronology in the central Mediterranean Sea. *Mar. Geol.* 153, 253-274.

- Chapman, M.R., N.J. Shackleton, M. Zhao, and G. Eglington, 1996. Faunal and alkenone reconstructions of subtropical North Atlantic surface hydrography and paleotemperature over the last 28 kyr. *Paleoceanography* 11, 343-357.
- deMenocal, P., J. Ortiz., T. Guilderson, J. Adkins, M. Sarnthein, L. Baker, and M. Yaarusinsky, 2000. Abrupt onset and termination of the African Humid Period: rapid climate responses to gradual insolation forcing. *Quat. Sci. Rev.* 19, 347-361.
- Duplessy, J.-C., E. Bard, M. Arnold, N.J. Shackleton, J. Duprat, and L. Labeyrie, 1991. How fast did the ocean-atmosphere system run during the last deglaciation? *Earth Planet. Sci. Lett.* 103, 27-40.
- Emeis, K.-C., H. Dose, A. Mix, and D. Schulz-Bull, 1995. Alkenone sea-surface temperatures and carbon burial at Site 846 (eastern Equatorial Pacific Ocean): The last 1.3 m.y. *Proc. Ocean Drill. Program, Sci. Results* 138, 605-613.
- Emeis, K.-C., U. Struck, H.-M. Schulz, R. Rosenberg, S. Bernasconi, H. Erlenkeuser, T. Sakamoto, and F. Martinez-Ruiz, 2000. Temperature and salinity variations of Mediterranean Sea surface waters over the last 16,000 years from records of planktonic stable oxygen isotopes and alkenone unsaturation ratios. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 158, 259-280.
- Emeis, K.-C., U. Struck, T. Blanz, A. Kohly, and M. Voß, 2003a. Salinity changes in the central Baltic Sea (NW Europe) over the last 10000 years. *The Holocene* 13, 411-421.
- Emeis, K.-C. and A. Dawson, 2003b. Holocene paleoclimate records over Europe and the North-Atlantic. *The Holocene* 13, 305-309.
- Emeis, K.-C., H. Schulz, U. Struck, M. Rossignol-Strick, H. Erlenkeuser, M.W. Howell, D. Kroon, A. Mackensen, S. Ishizuka, T. Oba, T. Sakamoto, and I. Koizumi, 2003c. Eastern Mediterranean surface water temperatures and $\delta^{18}\text{O}$ composition during deposition of sapropels in the late Quaternary. *Paleoceanography* 18, 1005, doi:10.1029/2000PA000617.
- Giraudeau, J., M. Gremer, S. Manthé, L. Labeyrie, and G. Bond, 2000. Coccolith evidence for instabilities in surface circulation south of Iceland during Holocene times. *Earth Planet. Sci. Lett.* 179, 257-268.
- Giunta, S., K.-C. Emeis, and A. Negri, 2001. Sea-surface temperature reconstruction of the last 16,000 years in the Eastern Mediterranean Sea. *Riv. Ital. Paleont. Stratigr.* 107, 463-476.
- Grootes, P.M. and M. Stuiver. 1997. Oxygen 18/16 variability in Greenland snow and ice with 10^3 to 10^5 -year time resolution. *J. Geophys. Res.* 102, 26455-26470.

- Herbert, T.D. and J. D. Schuffert, 2000. 16. Alkenone unsaturation estimates of sea-surface temperatures at site 1002 over a full glacial cycle. *Proc. Ocean Drill. Program, Sci. Results* 165, 239-247.
- Herbert, T.D., J.D. Schuffert, D. Andreasen, L. Heusser, M. Lyle, A. Mix, A.C. Ravelo, L.D. Stott, and J.C. Herguera, 2001. Collapse of the California current during glacial maxima linked to climate change on land. *Science* 293, 71-76.
- Huang, C.-Y., S.-F. Wu, M. Zhao, M.-T. Chen, C.-H. Wang, X. Tu, and P.B. Yuan, 1997. Surface ocean and monsoon climate variability in the south China Sea since last glaciation. *Mar. Micropaleont.* 32, 71-94.
- Imbrie, J., J.D. Hays, D.G. Martinson, A. McIntyre, A.C. Mix, J.J. Morley, N.G. Pisias, W.L. Prell, and N.J. Shackleton, 1984. The orbital theory of pleistocene climate: Support from a revised chronology of the marine $\delta^{18}\text{O}$ record. In: *Berger, A.L., J. Imbrie, J.D. Hays, J. Kulka, and J. Saltzman, (eds): Milankovitch and Climate (Pt. 1)*, NATO ASI Ser. C, Math Phys. Sci. 126, Reidel, Hingham, Mass, 269-305.
- Kennett, J.P., E.B. Roark, K.G. Cannariato, B.L. Ingram, and R. Tada, 2000. 21. Lates Quaternary paleoclimatic and radiocarbon chronology, Hole 1017E, southern California Margin. *Ocean Drill. Program, Sci. Results* 167, 249-254.
- Keigwin, L.D., 1998. Glacial-age hydrography for the far northwest Pacific Ocean. *Paleoceanography* 13, 323-339.
- Kienast, S.S. and J.L. McKay, 2001. Sea surface temperature in the subarctic Northeast Pacific reflect millennial-scale Climate Oscillations during the last 16 kyrs. *Geophy. Res. Lett.* 28, 1563-1566.
- Kienast, M., S. Steinke, K. Stattegger, and S.E. Calvert, 2001. Synchronous tropical South China Sea SST change and Greenland warming during deglaciation. *Science* 291, 2132-2134.
- Kim, J.-H., R.R. Schneider, P.J. Müller, G. Wefer, 2002a. Interhemispheric comparison of deglacial sea-surface temperature patterns in Atlantic eastern boundary currents. *Earth Planet. Sci. Lett.* 194, 383-393.
- Kim, J.-H., R.R. Schneider, D. Hebbeln, P.J. Müller, and G. Wefer, 2002b. Last deglacial sea-surface temperature evolution in the Southeast Pacific compared to climate changes on the South American continent. *Quat. Sci. Rev.* 21, 2085-2097.
- Kim, J.-H., R.R. Schneider, S. Mulitza, P.J. Müller., 2003. Reconstruction of SE trade wind intensity based on sea-surface temperature gradients in the SE Atlantic over the last 25 kyr. *Geophy. Res. Lett.* 30, 2144, doi:10.1029/2003GL017557.

- Kim, J.-H., N. Rambu, S.J. Lorenz, G. Lohmann, S.-I. Nam, S. Schouten, C. Rühlemann, and R.R. Schneider, 2004. North Pacific and North Atlantic sea-surface temperature variability during the Holocene. *Quat. Sci. Rev.*, in press.
- Kudrass, H.R.; A. Hofmann, H. Doose, K. Emeis, and H. Erlenkeuser, 2001. Modulation and amplification of climatic changes in the Northern Hemisphere by the Indian summer monsoon during the past 80 k.y. *Geology* 29, 63-66.
- Lamy, F., C. Rühlemann, D. Hebbeln, and G. Wefer, 2002. High- and low-latitude climate control on the position of the southern Peru-Chile Current during the Holocene. *Paleoceanography* 17, 10.1029/2001PA000727.
- Marchal, O., I. Cacho, T.F. Stocker, J.O. Grimalt, E. Calvo, B. Martrat, N. Shackleton, M. Vautravers, E. Cortijo, S. van Kreveld, C. Andersson, N. Koç, M. Chapman, L. Scaffi, J.-C., Duplessy, M. Sarnthein, J.-L. Turon, J. Duprat, and E. Jansen, 2002. Apparent long-term cooling of the sea surface in the Northeast Atlantic and Mediterranean during the Holocene. *Quat. Sci. Rev.* 21, 455-483.
- Martinson, D.G., N.G. Pisias, J.D. Hays, J. Imbrie, T.C. Moore, and N.J. Shackleton, 1987. Age dating and the orbital theory of the ice ages: Development of a high-resolution 0 to 300,000 year chronostratigraphy. *Quat. Res.* 27, 1-29.
- Meynadier, L., J.-P. Valet, R. Weeks, N.J. Shackleton, and V.L. Hagee, 1992. Relative geomagnetic intensity of the field during the last 140 ka. *Earth Planet. Sci. Lett.* 114, 39-57.
- Mix, A.C., J. Le, and N.J. Shackleton, 1995. Benthic foraminiferal stable isotope stratigraphy of site 846: 0-1.8 Ma. *Proc. Ocean Drill. Program, Sci. Results* 138, 839-854.
- Müller, P.J., G. Kirst, G. Ruhland, I. von Storch, and A. Rosell-Mele, 1998. Calibration of the alkenone palaeotemperature index UK'37 based on core-tops from the eastern South Atlantic and the global ocean (60°N-60°S). *Geochim. Cosmochim. Acta* 62, 1757-1772.
- Ostertag-Henning, C. and R. Stax, 2000. 26. Data report: Carbonate records from sites 1012, 1013, 1017, and 1019 and alkenone-based sea-surface temperatures from site 1017. *Proc. Ocean Drill. Program, Sci. Results* 167, 297-302.
- Pelejero, C. and J.O. Grimalt, 1997. The correlation between the UK37 index and sea surface temperatures in the warm boundary: The South China Sea. *Geochim. Cosmochim. Acta* 61, 4789-4797.
- Pelejero, C., Grimalt, J.O., Heilig, S., Kienast, M., and Wang, L., 1999a. High-resolution UK37 temperature reconstructions in the South China Sea over the past 220 kyr. *Paleoceanography* 14, 224-231.

- Pelejero, C., M. Kienast, L. Wang, and J.O. Grimalt, 1999b. The flooding of Sundaland during the last deglaciation: imprints in hemipelagic sediments from the southern South China Sea. *Earth Planet. Sci. Lett.* 171, 661-671.
- Peterson, L.C., G.H. Haug, R.W. Murray, K.M. Yarincik, J.W. King, T.J. Bralower, K. Kameo, S.D. Rutherford, and R.B. Pearce, 2000. 4. Late Quaternary stratigraphy and sedimentation at site 1002, Cariaco basin (Venezuela). *Ocean Drill. Program, Sci. Results* 165, 85-99.
- Prahl, F.G. and S.G. Wakeham, 1987. Calibration of unsaturation patterns in long-chain ketone compositions for paleotemperature assessment. *Nature* 330, 367-369.
- Prahl, F.G., L.A. Muehlhausen, and D.L. Zahnle, 1988. Further evaluation of long-chain alkenones as indicators of paleoceanographic conditions. *Geochim. Cosmochim. Acta* 52, 2303-2310.
- Rosell-Melé, A., G. Eglinton, U. Pflaumann, and M. Sarnthein, 1995. Atlantic core-top calibration of the UK37 index as a sea-surface palaeotemperature indicator. *Geochim. Cosmochim. Acta* 59, 3099-3107.
- Rostek, F., E. Bard, L. Beaufort, C. Sonzogni, and G. Ganssen. 1997. Sea surface temperature and productivity records for the past 240 kyr in the Arabian Sea. *Deep Sea Res. II* 44, 1461-1480.
- Rühlemann, C., S. Mulitza, P.J. Müller, G. Wefer, and R. Zahn, 1999. Warming of the tropical Atlantic Ocean and slowdown of thermohaline circulation during the last deglaciation. *Nature* 402, 511-514.
- Sarnthein, M., S. van Kreveld, H. Erlenkeuser, P.M. Grootes, M. Kucera, U. Pflaumann, and M. Schulz, 2003. Centennial-to-millennial-scale periodicities of Holocene climate and sediment injections off the western Barents shelf, 75°N. *Boreas* 32, 447-461.
- Sawada, K. and N. Handa, 1998. Variability of the path of the Kuroshio ocean current over the past 25,000 years. *Nature* 392, 592-595.
- Schulte, S. and P.J. Müller, 2001. Variations in sea-surface temperature and primary productivity during Heinrich and Dansgaard-Oeschger events in the northeastern Arabian Sea. *Geo-Marine-Lett.* 21, 168-175.
- Schulz, H., U. von Rad, and H. Erlenkeuser, 1998. Correlation between Arabian Sea and Greenland climate oscillations of the past 110,000 years. *Nature* 393, 54-57.
- Schulz, H., K.-C. Emeis, H. Erlenkeuser, U. von Rad, and C. Rolf, 2002. The Toba Volcanic Event and interstadial/stadial climates at the marine isotopic stage 5 to 4 transition in the Northern Indian Ocean. *Quat. Res.* 57, 22-31.

- Siani G., M. Paterne E. Michel, R. Sulpizio, A. Sbrana, M. Arnold, and G. Haddad, 2001. Mediterranean sea-surface radiocarbon reservoir age changes since the last glacial maximum. *Science* 294, 1917-1920.
- Sirocko, F., M. Sarnthein, H. Erlenkeuser, H. Lange, M. Arnold, and J.C. Duplessy, 1993. Century-scale events in monsoonal climate over the past 24,000 years. *Nature* 364, 322-324.
- Shackleton, N.J., 2000. The 100,000-year ice-age cycle identified and found to lag temperature, carbon dioxide and orbital eccentricity. *Science* 289, 1897-1902.
- Sonzogni, C., E. Bard, F. Rostek, R. Lafont, A. Rosell-Melé, and G. Eglinton, 1997. Core-top calibration of the alkenone index vs sea surface temperature in the Indian Ocean. *Deep Sea Res. II* 44, 1445-1460.
- Sonzogni, C., E. Bard, and F. Rostek, 1998. Tropical sea surface temperatures during the last glacial period: a view based on alkenones in Indian Ocean sediments. *Quat. Sci. Rev.* 17, 1185-1201.
- Sperling, M., G. Schmiedl, C. Hemleben, K.-C. Emeis, H. Erlenkeuser, P. Grootes, 2003. Black Sea impact on the formation of eastern Mediterranean sapropel S1: evidence from the Marmara Sea. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 190, 9-21.
- Ternois, Y., K. Kawamura, N. Ohkouchi, and L. Keigwin, 2000. Alkenone sea surface temperature in the Okhotsk Sea for the last 15 kyr. *Geochemical Journal* 34, 283-293.
- Wang, L., M. Sarnthein, H. Erlenkeuser, S. Heilig, E. Ivanova, M. Kienast, U. Pflaumann, C. Pelejero, and P. Grootes, 1999. East Asian monsoon during the late Quaternary: high-resolution sediment records from the South China Sea. *Mar. Geol.* 156, 245-284.
- Zhao, M., N.A.S. Beveridge, N.J. Shackleton, M. Sarnthein, and G. Eglinton, 1995. Molecular stratigraphy of cores off northwest Africa: Sea surface temperature history over the last 80 ka. *Paleoceanography* 10, 661-675.